MAIN INGREDIENTS

Each ML Contains









INDICATION

Chicken:

Increase of fertilization rate, hatching rate of breeder

Increase resisting power against disease.

Strengthening vitality of Chick

Prevention of stress by administration before forwarding of poultry and their houses.

Shortening withdrawal period caused by molting.

Large animals: Increase the hatching rate of pigs and cows, normalize the formation of the skeleton during development of pregnant fetus and prevent heritage, stillbirth, etc.

* Vitamin supplement for it deficiency.

USAGE AND DOSAGE

Chick: age of one day: 5 ml per 100 birds age of 4 weeks 7.5 ml per 100 birds

Grower, finisher: age of 8-16 weeks 7.5 ml per 100 birds

Layer, breeder: 12.5 ml per 100 birds

Piglet: 1 ml per head

Pregnant, Lactation Sow: 3.5 ml per head

Calf: 5 ml per head

Milch Cow: 10 ml per head

Administer the above dose diluted with drinking water.

* Chicken: 0.25 to 0.5 mL / 1L of feeding water.

CAUTION

Use after reading the instruction of usage notes sufficiently.

Consult with your veterinarian.

STORAGE

Store at cool and room temperature (1-30°C) protected from light.

PACKING

500ml, 1L, 5L



Manufacturer: Hebei Weierli Animal Pharmaceutical Group Co., Ltd



维尔利

Exporter: Hebei Nuob Trade Co., Ltd

Website: www.victorypharm.com

Alibaba: www.victorypharm.en.alibaba.com

Email: julia@victorypharm.com

Mobie&Whatsapp: +86 18332395825

Tel: +86-311-89265710 Fax: +86-311-58052865

Address: B-1601, Lechen Business Building, No.260 Huaian Road, Shijiazhuanng City, Hebei, China